



Mission-Oriented Seismic Research Program

2016 Annual Technical Review and Meeting

UH Hilton

4800 Calhoun Road, Houston, Texas, 77004 (On the UH Main Campus, entrance 4 (four), University Drive off Calhoun Road, Under-ground parking, at the hotel)

The meeting and breakfast will be in the Plaza Room and lunch in Shamrock A. The dinner on Thursday, June 9th at 6:00PM is in Shamrock A.

AGENDA

Wednesday, June 8, 2016

7:30 AM Welcome, breakfast/reception

8:00 AM Technical Program begins: Meeting Overview—IDENTIFYING AND RESPONDING TO PRIORITIZED AND PRESSING SEISMIC EXPLORATION CHALLENGES

ESSENTIAL PREPROCESSING FOR EFFECTIVE MULTIPLE REMOVAL, DEPTH IMAGING AND INVERSION: REMOVING THE REFERENCE WAVE-FIELD, GROUND ROLL, AND GHOSTS FOR OFFSHORE, OBC AND ONSHORE PLAYS, AND WITHOUT DAMAGING REFLECTION DATA

Green's theorem tutorial Part I: for wave field separation (separation of reference and scattered wave-fields, and for de-ghosting)

Arthur B. Weglein*

9:00 AM Predicting deghosted reflection data from ocean bottom multicomponent measurements

Jing Wu*

9:30 AM Green's theorem based onshore preprocessing -- a reduced data requirement assuming a vacuum/earth model for the air/earth interface and the evaluation of the usefulness of that assumption Jing Wu*

A new method for removing the reference wave and ghosts on a depth variable acquisition surface by combining Green's theorem and Stolt extended Claerbout III for one way propagating waves $Jing Wu^*$

10:30 AM Morning break

2D Green's theorem receiver deghosting in the $(x-\omega)$ domain using a depth 11: 00 AM variable cable towards on-shore and ocean bottom application with variable topography Zhen Zhang*

11:30 AM Lunch

12:30 PM 2D Green's theorem separation of reference wave and scattered wave in the (xω) domain using a depth-variable cable towards on-shore and ocean bottom application with variable topography Zhen Zhang*

> Initial tests of Jing Wu's space-frequency domain deghosting method in (xω) on a non-horizontal measurement surface for a 2D source and 3D source Zhen Zhang and Yuchang Shen*

1:10 PM The significance and impact of incorporating a 3D point source in Green's theorem deghosting Xinglu Lin*

1:35 PM Afternoon break

A NEW AND FIRST MIGRATION METHOD THAT IS EQUALLY EFFECTIVE AT ALL RECORDED FREQUENCIES: STOLT EXTENDED CLAERBOUT III MIGRATION FOR A MEDIUM FOR TWO WAY PROPAGATING WAVES. A TOOL FOR PROVIDING A DEFINITIVE RESPONSE TO "MULTIPLES: SIGNAL OR NOISE? ".

Green's theorem tutorial Part II: for wave field prediction: imaging conditions, 2:15 PM one-way and two-way wave equation migration for a more effective and fundamentally and practically more capable migration (Stolt extended Claerbout III imaging for migrating in a volume with two way propagating waves) (Glossary of imaging conditions: in our usage, Claerbout imaging I is the exploding reflector model, Claerbout II imaging, is the space and time coincidence of up and downgoing waves, and Claerbout III refers to predicting a coincident source and receiver experiment at depth at time equals zero.) These migration methods require a velocity model. Arthur B. Weglein*

The Claerbout II imaging principle resides behind all current leading edge RTM methods used in industry. Claerbout II and all RTM methods are intrinsically high frequency approximations independent of how they are extended or implemented. Benefits of the new Stolt extended Claerbout III imaging for two way propagating waves: (1) provides a new and first migration method that's equally effective at all recorded frequencies at the target and reservoir and hence added-value and advantages for both structural determination and amplitude analysis in migration and (2) provides clarity on the role of primaries and multiples in imaging and migration

Stolt extended Claerbout III imaging for two way propagating waves provides a clear and definitive response to the role of primaries and multiples in imaging and inversion: Multiples: signal or noise?

Arthur B. Weglein*

Only primaries are required for imaging and inversion, but when there is inadequate acquisition of primaries, multiples can be used to provide an approximate image of an unrecorded primary

Thursday, June 9, 2016

PIONEERING, DEVELOPING AND DELIVERING A RESPONSE TO THE PRIORITIZED AND PRESSING INDUSTRY CHALLENGE AND NEED FOR A NEXT GENERATION OF INCREASED MULTIPLE REMOVAL CAPABILITY: A KEY OBJECTIVE AND M-OSRP PROJECT

8:30 AM A tutorial on the inverse scattering series: distinct isolated task subseries for removing free surface and internal multiples

*Arthur B. Weglein**

Multiples: part I: Background/Introduction/Update

- 9:15 AM Multiple attenuation: recent progress, and a plan to address open, prioritized and pressing issues and challenges *Arthur B. Weglein**
- 10:00 AM Morning Break
- 10:15 AM Thesis executive summary: On-shore ISS internal multiple attenuation: first field data tests *Qiang Fu* *
- 10:40 AM Multiples: part II: Advances to enhance the effectiveness of free surface multiple elimination and internal multiple attenuation algorithms

The first Inverse-Scattering-Series internal multiple elimination method for a multi-dimensional subsurface

Yanglei Zou*, Chao Ma and Arthur B. Weglein

11:00 AM Thesis executive summary plus recent advances: positive impact of accommodating the 3D point source on the inverse scattering series internal multiple codes for a 1D subsurface and a 2D subsurface- new approach to ISS internal multiple elimination Xinglu Lin*

11:30 AM Lunch

12:30 PM An alternative Inverse-Scattering-Series internal multiple eliminator that requires the model in the single layer below the shallowest reflector *Xinglu Lin**

1:00 PM Afternoon Break

Multiples: part III: Beyond internal multiple attenuation: algorithms for *eliminating* internal multiples and *spurious events*, providing essential and necessary added value when there are numerous generators and interfering and proximal primaries and multiples

1:35 PM Thesis executive summary Part I, A new Inverse Scattering Series (ISS) internal-multiple-attenuation algorithm that both predicts the exact time and approximate amplitude of first-order internal multiples and addresses and reduces spurious events.

Chao Ma*

THE NEW AND FIRST TWO WAY PROPAGATING WAVE MIGRATION METHOD THAT IS EQUALLY EFFECTIVE AT ALL FREQUENCES AT THE TARGET AND RESERVOIR AND CAN ACCOMMODATE SPECULAR AND NON SPECULAR REFLECTIONS

2:05 PM Stolt extended Claerbout III imaging for one way and two way wave migration: a new and more capable migration method Arthur B. Weglein*

The Claerbout II (CII) imaging condition (current leading edge RTM) removing back -scatter artifacts *Qiang Fu**

An analysis and comparison of Claerbout III imaging condition for one waves (pre-stack Stolt FK migration) and its asymptotic Kirchhoff migration Yanglei Zou*, Qiang Fu, Chao Ma, Jing Wu and Arthur B. Weglein

Analysis and comparison of Claerbout II imaging (current leading edge RTM) for one way propagating waves and Claerbout III imaging for one way propagating waves

Yanglei Zou* and Qiang Fu

Claerbout III imaging for structure and amplitude analysis beneath a reflector: opportunity for multiple elimination $Qiang Fu^*$

3:10 PM Afternoon break

3: 35 PM Thesis executive summary Part II, A clear example of using multiples to enhance seismic imaging -- providing an approximate CII image of an unrecorded primary

Chao Ma*

4:00 PM What's the big picture, bottom line and our seismic imaging and inversion strategy with respect to primaries and multiples----the updated seismic processing chain.

Arthur B. Weglein*

4:10 PM Amplitude analysis: Direct and indirect inverse solutions and a comparison with iterative linear inverse (the latter resides behind current AVO/FWI)

A direct inverse solution for AVO/FWI parameter estimation objectives- new opportunity for velocity analysis *Arthur B. Weglein**

4:30 PM Providing an option and opportunity that combines 'what to compute' with 'how to compute', delivering a cost effective solution in a capital expenditure reduced industry environment

Update:

(1) The IBM Cloud HPC pay as you use proposal, (2) the Cloud POC pilot and (3) the ConocoPhillips ISS internal multiple speed-up--- (4) describing a new option, opportunity and plan to provide an interface for delivering M-OSRP stand alone effectiveness with a cost effective delivery to our sponsors and the petroleum industry

Arthur B. Weglein* Chris Porter*, IBM, Manager, IBM High Performance Services, World Wide Offering

5:00 PM Meeting Summary and adjournment *Arthur B. Weglein**

6:00 PM Reception and dinner, UH Hilton Shamrock Room A